

liftex[®]
the world's best slings



The most trusted name in slings since 1955

Your Authorized Liftex Distributor:

McLAUGHLIN HOIST & CRANE

(636)343-9700

www.StLCrane.com

RoundUp™ RoundSlings

ROUNDSLINGS

Liftex® RoundUp™ RoundSlings offer the user the ultimate in lifting security and rigging ease. RoundUp™ RoundSlings are constructed from a continuous loop of 100% polyester fiber.

Each RoundUp™ RoundSling is covered with a double polyester woven jacket to protect the load-bearing fibers from damage. Because the load-bearing fibers never come in contact with the load, they are protected from cuts, abrasions and ultraviolet degradation.

Each sling has a tough, resilient tag for quick and easy identification.

ENDLESS

A versatile sling for general use with unlimited rigging methods.

EYE & EYE

A versatile sling for general use with choker, basket, or vertical hitches.

BRIDLE/MULTI-LEG

Special purpose slings with multiple combinations.

BRAIDED ROUNDSLINGS



Braided roundslings provide greater security in handling high-capacity loads.

ROUNDUP™ ROUNDSLING OR FLAT SLING?


ADVANTAGES

- Reduce cost with less total rigging weight
- Easy handling and storage
- Reduce risk of back and hand injuries
- Cover abrasion will not reduce capacity
- Provides a strong grip on loads
- Provides a tighter choke with an easier release
- Capacities are color coded

Distributed By:



FLAT WEB
Surface Yarns carry a portion of the load. Capacity is reduced by abrasion.



ROUNDUP™ ROUNDSLINGS:
Double Jacket construction protects load-bearing core. Core Yarns Carry 100% of Load. There is no reduction in capacity from surface abrasion.

Endless RoundUp™ RoundSlings

ENDLESS (ENR)

Lifetex® Endless RoundUp™ RoundSlings are the most basic roundsling, yet they offer great versatility. Endless roundslings may be used in a vertical, choker or basket type hitch.

ADVANTAGES:

- Reduce cost with less total rigging weight
- Easy handling and storage
- Reduce risk of back and hand injuries
- Cover abrasion will not reduce capacity
- Provides a strong grip on loads
- Provides a tighter choke with an easier release
- Capacities are color coded

ENDLESS ROUNDSLING CAPACITY CHART

	Part Number	Vertical	Choker	Basket	Minimum Length	Approx. Diameter	Approx. WT / FT
PURPLE	ENR1	2600	2100	5200	3'	.625"	0.3 LB
GREEN	ENR2	5300	4200	10600	3'	.875"	0.4 LB
YELLOW	ENR3	8400	6700	16800	3'	1.125"	0.5 LB
TAN	ENR4	10600	8500	21200	3'	1.125"	0.6 LB
RED	ENR5	13200	10600	26400	3'	1.375"	0.8 LB
WHITE	ENR6	16800	13400	33600	6'	1.375"	0.9 LB
BLUE	ENR7	21200	17000	42400	6'	1.625"	1.3 LB
ORANGE	ENR8	25000	20000	50000	6'	1.750"	1.6 LB
ORANGE	ENR9	31000	24800	62000	6'	2.125"	2.0 LB
ORANGE	ENR10	40000	32000	80000	6'	2.350"	2.6 LB
ORANGE	ENR11	53000	42400	106000	8'	3.150"	3.4 LB
ORANGE	ENR12	66000	52800	132000	8'	3.950"	4.3 LB
ORANGE	ENR13	90000	72000	180000	8'	4.800"	5.9 LB

* LARGER SIZES AVAILABLE



⚠ **WARNING**

SLING FAILURE CAN CAUSE
DEATH OR INJURY


SLING FAILURE RESULTS FROM
MISUSE, DAMAGE, AND
EXCESSIVE WEAR

ADHERE TO INDUSTRY
STANDARDS & REGULATIONS

HOW TO ORDER: PART NUMBER X LENGTH (LENGTH IS MEASURED BEARING POINT TO BEARING POINT)

Eye & Eye RoundUp™ RoundSlings

Liftex® Eye & Eye RoundUp™ RoundSlings are ideal where abrasion to the sling body is a problem. A tough, abrasion resistant sleeve is sewn to the body forming a loop at each end. They may be used in a vertical, choker or basket hitch.



WARNING

SLING FAILURE CAN CAUSE
DEATH OR INJURY


SLING FAILURE RESULTS FROM
MISUSE, DAMAGE, AND
EXCESSIVE WEAR

ADHERE TO INDUSTRY
STANDARDS & REGULATIONS

EYE AND EYE ROUNDSLING CAPACITY CHART

	Part Number	Vertical	Choker	Basket	Minimum Length	Body Width	Approx. WT / FT
PURPLE	EER1	2600	2100	5200	3'	2.25"	0.4 LB
GREEN	EER2	5300	4200	10600	3'	2.50"	0.5 LB
YELLOW	EER3	8400	6700	16800	4'	2.50"	0.6 LB
TAN	EER4	10600	8500	21200	4'	3.50"	0.7 LB
RED	EER5	13200	10600	26400	5'	3.50"	1.0 LB
WHITE	EER6	16800	13400	33600	7'	3.50"	1.1 LB
BLUE	EER7	21200	17000	42400	7'	4.25"	1.6 LB
ORANGE	EER8	25000	20000	50000	7'	5"	1.8 LB
ORANGE	EER9	31000	24800	62000	7'	6"	2.2 LB
ORANGE	EER10	40000	32000	80000	7'	6.5"	2.8 LB
ORANGE	EER11	53000	42400	106000	8	7"	3.6 LB
ORANGE	EER12	66000	52800	132000	10	8"	4.5 LB
ORANGE	EER13	90000	72000	180000	10	9"	6.1 LB

* LARGER SIZES AVAILABLE




HOW TO ORDER: PART NUMBER X LENGTH (LENGTH IS MEASURED BEARING POINT TO BEARING POINT)

Bridle/Multi-Leg RoundUp™ RoundSlings

HOW TO ORDER INSTRUCTIONS

Sample Part Number for a Double Leg, Oblong Link, Sling Hook, and an Endless sling with a maximum capacity of 4500 lbs at a 60° and 4' legs:

- Sling configuration: DOS Leg Type Code: ENR1 Sling Length bearing point to bearing point.
- Final Part number: DOS-ENR1x04'



SINGLE LEG ROUNDUP BRIDLE SLINGS

Endless Legs Code	Eye & Eye Legs Code	Leg Color	Vertical Capacity in lbs.	Minimum Leg Length B to B
ENR1	EER1	PURPLE	2080	4'
ENR2	EER2	GREEN	4240	4'
ENR3	EER3	YELLOW	6720	4'
ENR4	EER4	TAN	8480	4'
ENR5	EER5	RED	10560	4'
ENR6	EER6	WHITE	13440	8'
ENR7	EER7	BLUE	16960	8'



SOS

DOUBLE LEG ROUNDUP BRIDLE SLINGS

Endless Legs Code	Eye & Eye Legs Code	Leg Color	*Capacity in lbs. at Horizontal Angle			Minimum Leg Length B to B
			60 Degree	45 Degree	30 Degree	
ENR1	EER1	PURPLE	3600	2960	2080	4'
ENR2	EER2	GREEN	7360	6000	4240	4'
ENR3	EER3	YELLOW	11600	9440	6720	4'
ENR4	EER4	TAN	14640	11920	8480	4'
ENR5	EER5	RED	18240	14880	10560	4'
ENR6	EER6	WHITE	23200	18960	13440	8'
ENR7	EER7	BLUE	29360	23920	16960	8'



DOS

QUAD (4) LEG ROUNDUP BRIDLE

Endless Legs Code	Eye & Eye Legs Code	Leg Color	*Capacity in lbs. at Horizontal Angle			Minimum Leg Length B to B
			60 Degree	45 Degree	30 Degree	
ENR1	EER1	PURPLE	7200	5888	4160	4'
ENR2	EER2	GREEN	14720	12000	8480	4'
ENR3	EER3	YELLOW	23200	18880	13440	4'
ENR4	EER4	TAN	29280	23840	16960	4'



QOS

*TRIPLE LEG AVAILABLE

Braided RoundUp™ RoundSlings

Braided RoundUp™ RoundSlings provide greater security in handling high-capacity loads while maintaining the qualities our other roundslings offer. Braided RoundUp™ RoundSlings are constructed using 3 (6-part) or 4 (8-part) Endless RoundUp™ RoundSlings. Braided RoundUp™ RoundSlings offer superior performance in a vertical, choker, or basket hitch.

- Eyes are covered with abrasion-resistant polyester
- Soft, flexible and easy to handle
- Conform well to load
- Excellent strength-to-weight ration
- Capacities are color coded
- Each sling is tagged for easy identification



6-PART BRAIDED ROUNDSLINGS CAPACITY CHART

Part Number	Color Code	Capacity in lbs.			Minimum Length	Standard Eye Length	Approx. Weight per foot	Width Under Load
		Vertical	Choker	Vertical Basket				
6BR1	PURPLE	6700	5300	13400	5'	14"	1.1 lb.	3.25"
6BR2	GREEN	13500	10800	27000	5'	15"	1.45 lb.	3.75"
6BR3	YELLOW	21400	17100	42800	6'	18"	1.9 lb.	4.25"
6BR4	TAN	27000	21600	54000	6'	18"	2.25 lb.	4.50"
6BR5	RED	33600	26800	67200	7'	25"	3.0 lb.	5.25"
6BR6	WHITE	42800	34200	85600	7'	25"	3.5 lb.	5.50"
6BR7	BLUE	54000	43200	108000	9'	30"	4.95 lb.	6.63"
6BR8	ORANGE	63700	50900	127400	10'	33"	6.0 lb.	8.25"
6BR9	ORANGE	79000	63200	158000	10'	38"	7.75 lb.	11.0"

* LARGER SIZES AVAILABLE

8-PART BRAIDED ROUNDSLINGS CAPACITY CHART

Part Number	Color Code	Capacity in lbs.			Minimum Length	Standard Eye Length	Approx. Weight per foot	Width Under Load
		Vertical	Choker	Vertical Basket				
8BR1	PURPLE	9000	7200	18000	5'	14"	1.4 lb.	3.50"
8BR2	GREEN	18000	14400	36000	5'	15"	1.85 lb.	4.00"
8BR3	YELLOW	28500	22800	57000	6'	18"	2.40 lb.	4.75"
8BR4	TAN	36000	28800	72000	6'	18"	2.85 lb.	5.00"
8BR5	RED	44900	35900	89800	7'	25"	3.8 lb.	6.00"
8BR6	WHITE	57100	45600	114200	7'	25"	4.4 lb.	6.25"
8BR7	BLUE	72000	57600	144000	9'	30"	6.25 lb.	7.50"
8BR8	ORANGE	85000	68000	170000	10'	33"	7.6 lb.	9.50"
8BR9	ORANGE	105300	84200	210600	10'	38"	9.75 lb.	13"

* LARGER SIZES AVAILABLE

