

SATURN OVERHEAD EQUIPMENT										
Single Hook <u>Semi-Low Headroom</u> Headroom Monorail Hoists										
SPECIFICATIONS										
CATALOG NO.	CAPACITY (LBS)	SPEED (FPM)	LIFT (FT)	REEVING TYPE	CABLE (DIA)	HOIST MOTOR	HEADROOM (A)	WHEEL BASE (E)	HOOK DRIFT	WEIGHT (LBS)
EES2-1514-MT	2,000	15	14	2PD	1/4"	2 @ 1200	20"	30 3/4"	13 3/4"	750
EES2-1522-MT	2,000	15	22	2PD	1/4"	2 @ 1200	20"	36 3/4"	16 3/4"	825
EES2-1529-MT	2,000	15	29	2PD	1/4"	2 @ 1200	20"	43 3/4"	20 1/4"	900
EES2-1537-MT	2,000	15	37	2PD	1/4"	2 @ 1200	20"	49 3/4"	23 1/4"	975
EES2-1544-MT	2,000	15	44	2PD	1/4"	2 @ 1200	20"	55 3/4"	26 1/4"	1050
EES2-2014-MT	2,000	20	14	2PD	1/4"	2 @ 1200	20"	27 3/4"	22 1/4"	750
EES2-2022-MT	2,000	20	22	2PD	1/4"	2 @ 1200	20"	32 3/4"	19 3/4"	825
EES2-2029-MT	2,000	20	29	2PD	1/4"	2 @ 1200	20"	37 3/4"	17 1/4"	900
EES2-2037-MT	2,000	20	37	2PD	1/4"	2 @ 1200	20"	42 3/4"	14 3/4"	975
EES2-2044-MT	2,000	20	44	2PD	1/4"	2 @ 1200	20"	47 3/4"	12 1/4"	1050
EES2-3014-MT	2,000	30	14	2PD	1/4"	3 @ 1800	20"	27 3/4"	22 1/4"	750
EES2-3022-MT	2,000	30	22	2PD	1/4"	3 @ 1800	20"	32 3/4"	19 3/4"	825
EES2-3029-MT	2,000	30	29	2PD	1/4"	3 @ 1800	20"	37 3/4"	17 1/4"	900
EES2-3037-MT	2,000	30	37	2PD	1/4"	3 @ 1800	20"	42 3/4"	14 3/4"	975
EES2-3044-MT	2,000	30	44	2PD	1/4"	3 @ 1800	20"	47 3/4"	12 1/4"	1050
EES3-1514-MT	3,000	15	14	2PD	1/4"	3 @ 1200	20"	30 3/4"	13 3/4"	750
EES3-1522-MT	3,000	15	22	2PD	1/4"	3 @ 1200	20"	36 3/4"	16 3/4"	825
EES3-1529-MT	3,000	15	29	2PD	1/4"	3 @ 1200	20"	43 3/4"	20 1/4"	900
EES3-1537-MT	3,000	15	37	2PD	1/4"	3 @ 1200	20"	49 3/4"	23 1/4"	975
EES3-1544-MT	3,000	15	44	2PD	1/4"	3 @ 1200	20"	55 3/4"	26 1/4"	1050
EES3-2014-MT	3,000	20	14	2PD	1/4"	3 @ 1200	20"	27 3/4"	22 1/4"	750
EES3-2022-MT	3,000	20	22	2PD	1/4"	3 @ 1200	20"	32 3/4"	19 3/4"	825
EES3-2029-MT	3,000	20	29	2PD	1/4"	3 @ 1200	20"	37 3/4"	17 1/4"	900
EES3-2037-MT	3,000	20	37	2PD	1/4"	3 @ 1200	20"	42 3/4"	14 3/4"	975
EES3-2044-MT	3,000	20	44	2PD	1/4"	3 @ 1200	20"	47 3/4"	12 1/4"	1050
EES3-3014-MT	3,000	30	14	2PD	1/4"	5 @ 1800	20"	27 3/4"	22 1/4"	750
EES3-3022-MT	3,000	30	22	2PD	1/4"	5 @ 1800	20"	32 3/4"	19 3/4"	825
EES3-3029-MT	3,000	30	29	2PD	1/4"	5 @ 1800	20"	37 3/4"	17 1/4"	900
EES3-3037-MT	3,000	30	37	2PD	1/4"	5 @ 1800	20"	42 3/4"	14 3/4"	975
EES3-3044-MT	3,000	30	44	2PD	1/4"	5 @ 1800	20"	47 3/4"	12 1/4"	1050
FES4-1514-MT	4,000	15	14	2PD	1/4"	3 @ 1200	22"	35 1/4"	15 3/8"	825
FES4-1522-MT	4,000	15	22	2PD	1/4"	3 @ 1200	22"	41 3/4"	18 5/8"	900
FES4-1534-MT	4,000	15	34	2PD	1/4"	3 @ 1200	22"	52 1/4"	23 7/8"	975
FES4-1547-MT	4,000	15	47	2PD	1/4"	3 @ 1200	22"	63 1/8"	29 1/4"	1050
FES4-1559-MT	4,000	15	59	2PD	1/4"	3 @ 1200	22"	73 3/4"	34 5/8"	1125
FES4-2014-MT	4,000	20	14	2PD	1/4"	4 @ 1200	22"	31 1/4"	13 1/2"	825
FES4-2022-MT	4,000	20	22	2PD	1/4"	4 @ 1200	22"	35 3/4"	15 3/4"	900
FES4-2034-MT	4,000	20	34	2PD	1/4"	4 @ 1200	22"	43 1/4"	19 1/2"	975
FES4-2047-MT	4,000	20	47	2PD	1/4"	4 @ 1200	22"	50 3/4"	23 1/4"	1050
FES4-2059-MT	4,000	20	59	2PD	1/4"	4 @ 1200	22"	58 1/4"	27"	1125
FES4-3014-MT	4,000	30	14	2PD	1/4"	6 @ 1800	22"	31 1/4"	13 1/2"	825
FES4-3022-MT	4,000	30	22	2PD	1/4"	6 @ 1800	22"	35 3/4"	15 3/4"	900
FES4-3034-MT	4,000	30	34	2PD	1/4"	6 @ 1800	22"	43 1/4"	19 1/2"	975
FES4-3047-MT	4,000	30	47	2PD	1/4"	6 @ 1800	22"	50 3/4"	23 1/4"	1050
FES4-3059-MT	4,000	30	59	2PD	1/4"	6 @ 1800	22"	58 1/4"	27"	1125

SATURN OVERHEAD EQUIPMENT										
Single Hook <u>Semi-Low Headroom</u> Headroom Monorail Hoists										
SPECIFICATIONS										
CATALOG NO.	CAPACITY (LBS)	SPEED (FPM)	LIFT (FT)	REEVING TYPE	CABLE (DIA)	HOIST MOTOR	HEADROOM (A)	WHEEL BASE (E)	HOOK DRIFT	WEIGHT (LBS)
ED4-1015-MT	4,000	10	15	4PS	1/4"	2 @ 1200	19"	27 7/8"	2 1/2"	700
ED4-1022-MT	4,000	10	22	4PS	1/4"	2 @ 1200	19"	32 7/8"	3 3/4"	775
ED4-1030-MT	4,000	10	30	4PS	1/4"	2 @ 1200	19"	37 7/8"	5"	850
ED4-1037-MT	4,000	10	37	4PS	1/4"	2 @ 1200	19"	42 7/8"	6 3/8"	925
ED4-1045-MT	4,000	10	45	4PS	1/4"	2 @ 1200	19"	47 7/8"	7 1/2"	1000
ED4-1515-MT	4,000	15	15	4PS	1/4"	3 @ 1800	19"	27 7/8"	2 1/2"	700
ED4-1522-MT	4,000	15	22	4PS	1/4"	3 @ 1800	19"	32 7/8"	3 3/4"	775
ED4-1530-MT	4,000	15	30	4PS	1/4"	3 @ 1800	19"	37 7/8"	5"	850
ED4-1537-MT	4,000	15	37	4PS	1/4"	3 @ 1800	19"	42 7/8"	6 3/8"	925
ED4-1545-MT	4,000	15	45	4PS	1/4"	3 @ 1800	19"	47 7/8"	7 1/2"	1000
FES6-1514-MT	6,000	15	14	2PD	5/16"	5 @ 1200	22"	35 1/4"	15 3/8"	825
FES6-1522-MT	6,000	15	22	2PD	5/16"	5 @ 1200	22"	41 3/4"	18 5/8"	900
FES6-1534-MT	6,000	15	34	2PD	5/16"	5 @ 1200	22"	52 1/4"	23 7/8"	975
FES6-1547-MT	6,000	15	47	2PD	5/16"	5 @ 1200	22"	63 1/8"	29 1/4"	1050
FES6-1559-MT	6,000	15	59	2PD	5/16"	5 @ 1200	22"	73 3/4"	34 5/8"	1125
FES6-2014-MT	6,000	20	14	2PD	5/16"	6 @ 1200	22"	31 1/4"	13 1/2"	825
FES6-2022-MT	6,000	20	22	2PD	5/16"	6 @ 1200	22"	35 3/4"	15 3/4"	900
FES6-2034-MT	6,000	20	34	2PD	5/16"	6 @ 1200	22"	43 1/4"	19 1/2"	975
FES6-2047-MT	6,000	20	47	2PD	5/16"	6 @ 1200	22"	50 3/4"	23 1/4"	1050
FES6-2059-MT	6,000	20	59	2PD	5/16"	6 @ 1200	22"	58 1/4"	27"	1125
FES6-3014-MT	6,000	30	14	2PD	5/16"	10 @ 1800	22"	31 1/4"	13 1/2"	825
FES6-3022-MT	6,000	30	22	2PD	5/16"	10 @ 1800	22"	35 3/4"	15 3/4"	900
FES6-3034-MT	6,000	30	34	2PD	5/16"	10 @ 1800	22"	43 1/4"	19 1/2"	975
FES6-3047-MT	6,000	30	47	2PD	5/16"	10 @ 1800	22"	50 3/4"	23 1/4"	1050
FES6-3059-MT	6,000	30	59	2PD	5/16"	10 @ 1800	22"	58 1/4"	27"	1125
ED6-1015-MT	6,000	10	15	4PS	5/16"	3 @ 1200	19"	27 7/8"	2 1/2"	700
ED6-1022-MT	6,000	10	22	4PS	5/16"	3 @ 1200	19"	32 7/8"	3 3/4"	775
ED6-1030-MT	6,000	10	30	4PS	5/16"	3 @ 1200	19"	37 7/8"	5"	850
ED6-1037-MT	6,000	10	37	4PS	5/16"	3 @ 1200	19"	42 7/8"	6 3/8"	925
ED6-1045-MT	6,000	10	45	4PS	5/16"	3 @ 1200	19"	47 7/8"	7 1/2"	1000
ED6-1515-MT	6,000	15	15	4PS	5/16"	5 @ 1800	19"	27 7/8"	2 1/2"	700
ED6-1522-MT	6,000	15	22	4PS	5/16"	5 @ 1800	19"	32 7/8"	3 3/4"	775
ED6-1530-MT	6,000	15	30	4PS	5/16"	5 @ 1800	19"	37 7/8"	5"	850
ED6-1537-MT	6,000	15	37	4PS	5/16"	5 @ 1800	19"	42 7/8"	6 3/8"	925
ED6-1545-MT	6,000	15	45	4PS	5/16"	5 @ 1800	19"	47 7/8"	7 1/2"	1000
FD8-1014-MT	8,000	10	14	4PS	3/8"	4@1200	25"	34 1/8"	3"	1200
FD8-1022-MT	8,000	10	22	4PS	3/8"	4@1200	25"	40 5/8"	4 1/2"	1275
FD8-1028-MT	8,000	10	28	4PS	3/8"	4@1200	25"	45 5/8"	5 3/4"	1350
FD8-1035-MT	8,000	10	35	4PS	3/8"	4@1200	25"	50 5/8"	7"	1425
FD8-1042-MT	8,000	10	42	4PS	3/8"	4@1200	25"	56 5/8"	8 3/4"	1500
FD8-1049-MT	8,000	10	49	4PS	3/8"	4@1200	25"	62 1/8"	10"	1575
FD8-1514-MT	8,000	15	14	4PS	3/8"	6@1800	25"	34 1/8"	3"	1200
FD8-1522-MT	8,000	15	22	4PS	3/8"	6@1800	25"	40 5/8"	4 1/2"	1275
FD8-1528-MT	8,000	15	28	4PS	3/8"	6@1800	25"	45 5/8"	5 3/4"	1350
FD8-1535-MT	8,000	15	35	4PS	3/8"	6@1800	25"	50 5/8"	7"	1425

MCLAUGHLIN HOIST & CRANE

www.StlCrane.com

Phone: (636) 343-9700

Sales@StlCrane.com

Fax: (636) 343-0840

SATURN OVERHEAD EQUIPMENT										
Single Hook <u>Semi-Low Headroom</u> Headroom Monorail Hoists										
SPECIFICATIONS										
CATALOG NO.	CAPACITY (LBS)	SPEED (FPM)	LIFT (FT)	REEVING TYPE	CABLE (DIA)	HOIST MOTOR	HEADROOM (A)	WHEEL BASE (E)	HOOK DRIFT	WEIGHT (LBS)
FD8-1542-MT	8,000	15	42	4PS	3/8"	6@1800	25"	56 5/8"	8 3/4"	1500
FD8-1549-MT	8,000	15	49	4PS	3/8"	6@1800	25"	62 1/8"	10"	1575
FD10-1014-MT	10,000	10	14	4PS	3/8" E	5@1200	25"	34 1/8"	3"	1200
FD10-1022-MT	10,000	10	22	4PS	3/8" E	5@1200	25"	40 5/8"	4 1/2"	1275
FD10-1028-MT	10,000	10	28	4PS	3/8" E	5@1200	25"	45 5/8"	5 3/4"	1350
FD10-1035-MT	10,000	10	35	4PS	3/8" E	5@1200	25"	50 5/8"	7"	1425
FD10-1042-MT	10,000	10	42	4PS	3/8" E	5@1200	25"	56 5/8"	8 3/4"	1500
FD10-1049-MT	10,000	10	49	4PS	3/8" E	5@1200	25"	62 1/8"	10"	1575
FD10-1514-MT	10,000	15	14	4PS	3/8" E	7.5@1800	25"	34 1/8"	3"	1200
FD10-1522-MT	10,000	15	22	4PS	3/8" E	7.5@1800	25"	40 5/8"	4 1/2"	1275
FD10-1528-MT	10,000	15	28	4PS	3/8" E	7.5@1800	25"	45 5/8"	5 3/4"	1350
FD10-1535-MT	10,000	15	35	4PS	3/8" E	7.5@1800	25"	50 5/8"	7"	1425
FD10-1542-MT	10,000	15	42	4PS	3/8" E	7.5@1800	25"	56 5/8"	8 3/4"	1500
FD10-1549-MT	10,000	15	49	4PS	3/8" E	7.5@1800	25"	62 1/8"	10"	1575