

WEAR-FLEX

Protective Nylon Slings

Distributed By:

McLaughlin Hoist & Crane

Fenton, Missouri

(636)343-9700

www.StLCrane.com

RED-CORE ECONOMY NYLON SLINGS



Wear-Flex Red-Core Economy Nylon Slings with **RED "SAFETY" ALERT YARNS.**

Red-Core Slings are made with impregnated nylon webbing specially designed for slings. Red-Core Slings have red markers included in the inner lifting yarns. These red "Safety Alert" markers are immediately visible if the sling is damaged enough to expose the inner lifting yarns.

Red-Core Nylon Slings are tagged with a heat-imprinted sewn-on tag and meet or exceed all present OSHA and ASME B30.9 Standards.

ENDLESS (EN)



TYPE V

Red-Core Endless Slings are the most popular, practical and strongest sling design for all purpose lifting with any choker, vertical or basket hitch. Load contact points change with every lift, giving maximum wear for better economy and safety.

Order by Stock No. and Length	Sling Width Inches	Rated Capacity – Lbs.			User List Price	
		Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
EN1-0601	1"	1760	2200	4400	\$10.30	\$1.50
EN1-0901	1"	2480	3100	6200	12.95	2.05
EN2-0601	1"	3520	4400	8800	22.00	3.25
EN2-0901	1"	4960	6200	12400	25.85	4.40
EN1-0601½	1½"	2640	3300	6600	14.05	2.25
EN1-0901½	1½"	3760	4700	9400	16.15	2.85
EN2-0601½	1½"	5360	6700	13400	25.60	4.55
EN2-0901½	1½"	7520	9400	18800	30.20	6.00
EN1-0602	2"	3520	4400	8800	15.40	2.85
EN1-0902	2"	4960	6200	12400	19.30	3.40
EN2-0602	2"	7120	8900	17800	33.00	5.25
EN2-0902	2"	10000	12500	25000	38.35	7.20
EN1-0603	3"	5360	6700	13400	24.25	4.15
EN1-0903	3"	7520	9400	18800	33.00	5.50
EN2-0603	3"	10720	13400	26800	45.90	8.70
EN2-0903	3"	15040	18800	37600	56.80	11.10
EN1-0604	4"	7120	8900	17800	30.25	5.35
EN1-0904	4"	10000	12500	25000	40.10	6.85
EN2-0604	4"	14320	17900	35800	59.95	11.25
EN2-0904	4"	20000	25000	50000	76.30	14.05
EN1-0606	6"	10720	13400	26800	49.90	9.10
EN1-0906	6"	15040	18800	37600	59.80	11.75
EN2-0606	6"	21440	26800	53600	93.55	18.90
EN2-0906	6"	30080	37600	75200	120.30	26.05

Order by Stock No. and Length	Sling Width Inches	Rated Capacity – Lbs.			User List Price	
		Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
EN1-0908	8"	16900	21200	42400	91.70	18.20
EN2-0908	8"	33900	42300	84600	183.10	38.20
EN1-0910	10"	21200	26500	52900	114.20	23.80
EN2-0910	10"	42300	52900	105800	235.90	48.15
EN1-0912	12"	25400	31800	63600	136.68	27.70
EN2-0912	12"	50800	63500	127000	288.65	62.50
EN3-0901	1"	6400	7900	15900	41.30	7.05
EN3-0901½	1½"	9500	11900	23800	48.30	9.60
EN3-0902	2"	12700	15900	31800	61.30	11.50
EN3-0903	3"	18300	22900	45900	90.90	17.75
EN3-0904	4"	24500	30060	61200	122.05	22.55
EN3-0906	6"	36700	45900	91700	192.45	41.70
EN3-0908	8"	48900	61200	122300	292.95	54.10
EN3-0910	10"	61200	76400	152900	377.45	77.05
EN3-0912	12"	73400	91700	183500	461.85	100.00
EN4-0901	1"	8200	10200	20400	54.25	9.25
EN4-0901½	1½"	12200	15300	30600	63.40	12.55
EN4-0902	2"	16300	20400	40800	80.50	15.10
EN4-0903	3"	24500	30600	61200	119.30	23.25
EN4-0904	4"	32600	40800	81500	160.20	29.55
EN4-0906	6"	48900	61200	122300	252.60	54.70
EN4-0908	8"	65200	81500	163100	384.50	71.00
EN4-0910	10"	81500	101900	203800	495.40	101.10
EN4-0912	12"	97800	122300	244600	606.20	131.25

Note: Polyester slings are available upon request.

!

WARNING!

DO NOT EXCEED RATED CAPACITIES. REFER TO SLING LOAD CHART ON PAGE 5 FOR RATED CAPACITIES AT OTHER SLING-TO-LOAD ANGLES.

RED-CORE ECONOMY NYLON SLINGS

EYE AND EYE (EE)



STRAIGHT EYE TYPE III



TWIST EYE TYPE IV

Red-Core Eye and Eye Slings are good for choker, vertical and basket hitches. Straight eyes are standard. Slings with a body three inches or wider have eyes tapered to 1/2 the body width. Twist eyes are available at no extra charge.

Order by Stock No. and Length	Sling Width Inches	Eye Length Inches	Eye Width Inches	Rated Capacity – Lbs.			User List Price	
				Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
EE1-0601	1"	10"	1"	880	1100	2200	\$11.15	\$0.75
EE1-0901	1"	10"	1"	1200	1500	3000	13.45	0.90
EE2-0601	1"	10"	1"	1760	2200	4400	13.55	2.05
EE2-0901	1"	10"	1"	2480	3100	6200	16.10	2.20
EE1-0601½	1½"	10"	1½"	1280	1600	3200	15.30	1.05
EE1-0901½	1½"	10"	1½"	1840	2300	4600	18.45	1.30
EE2-0601½	1½"	10"	1½"	2640	3300	6600	19.45	2.25
EE2-0901½	1½"	10"	1½"	3760	4700	9400	20.35	2.90
EE1-0602	2"	10"	2"	1760	2200	4400	24.00	1.25
EE1-0902	2"	10"	2"	2480	3100	6200	20.95	1.75
EE2-0602	2"	10"	2"	3520	4400	8800	19.55	2.80
EE2-0902	2"	10"	2"	4960	6200	12400	23.55	3.60
EE1-0603	3"	12"	1½"	2640	3300	6600	27.75	1.95
EE1-0903	3"	12"	1½"	3760	4700	9400	35.65	2.50
EE2-0603	3"	12"	1½"	5360	6700	13400	30.20	4.15
EE2-0903	3"	12"	1½"	7520	9400	18800	39.45	5.35
EE1-0604	4"	12"	2"	3520	4400	8800	37.75	2.45
EE1-0904	4"	12"	2"	4960	6200	12400	43.95	3.05
EE2-0604	4"	12"	2"	7120	8900	17800	40.75	5.80
EE2-0904	4"	12"	2"	10000	12500	25000	50.80	7.25
EE1-0606	4"	14"	3"	5360	6700	13400	51.75	4.35
EE1-0906	6"	14"	3"	7520	9400	18800	69.20	5.80
EE2-0606	6"	14"	3"	10720	13400	26800	58.55	9.80
EE2-0906	6"	14"	3"	15040	18800	37600	77.10	12.10

Order by Stock No. and Length	Sling Width Inches	Eye Length Inches	Eye Width Inches	Rated Capacity – Lbs.			User List Price	
				Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
EE1-0908	8"	16"	3"	9400	11800	23600	100.45	8.60
EE2-0908	8"	16"	3"	18200	22700	45400	121.95	19.35
EE1-0910	10"	20"	3½"	11800	14700	29400	133.25	10.20
EE2-0910	10"	20"	3½"	22700	28400	56800	153.50	22.90
EE1-0912	12"	24"	4"	14100	17600	35200	166.05	12.55
EE2-0912	12"	24"	4"	27300	34100	68200	185.10	28.25
EE3-0901	1"	10"	1"	3300	4100	8200	28.20	3.90
EE3-0901½	1½"	10"	1½"	4900	6200	12300	31.75	5.05
EE3-0902	2"	10"	2"	6600	8200	16500	41.25	6.35
EE3-0903	3"	12"	1½"	9900	12300	24700	69.00	9.40
EE3-0904	4"	12"	2"	12200	15300	30600	88.95	12.70
EE3-0906	6"	14"	3"	18300	22900	45900	135.00	21.15
EE3-0908	8"	16"	3"	24500	30600	61200	213.40	33.85
EE3-0910	10"	20"	3½"	30600	38200	76400	268.65	40.10
EE3-0912	12"	24"	4"	36700	45900	91700	323.95	49.45
EE4-0901	1"	10"	1"	4400	5500	11000	36.30	5.00
EE4-0901½	1½"	10"	1½"	6600	8200	16500	41.65	6.50
EE4-0902	2"	10"	2"	8800	11000	22000	53.05	8.15
EE4-0903	3"	12"	1½"	13120	16400	32800	88.75	12.10
EE4-0904	4"	12"	2"	16320	20400	40800	114.35	16.35
EE4-0906	6"	14"	3"	24880	30600	61200	173.50	27.20
EE4-0908	8"	16"	3"	32600	40800	81500	274.40	43.55
EE4-0910	10"	20"	3½"	40800	51000	101900	345.40	51.55
EE4-0912	12"	24"	4"	48900	61200	122300	416.50	63.60

Note: Polyester slings are available upon request.

!

WARNING!

DO NOT EXCEED RATED CAPACITIES. REFER TO SLING LOAD CHART ON PAGE 5 FOR RATED CAPACITIES AT OTHER SLING-TO-LOAD ANGLES.

RED-CORE ECONOMY NYLON SLINGS

DUAL EYE (DE)



REVERSE EYE

FLAT EYE

Red-Core Dual-Eye Slings are the toughest, most versatile, heavy duty nylon slings available anywhere. Dual Eye Slings have a flat eye on one end and a reverse eye on the other end with eye widths equal to 1/2 the body width. Dual Eye Slings are the most versatile of all slings for choker and basket hitching. The flat eye is ideal for passing under loads or through small openings where there is minimum clearance. The reverse eye is ideal for choker hitches and also gives the sling extra service life. When reversed, it allows the other side of the eye and sling body to be used as a second wearing surface. Both sides of the sling body and the sling eyes are reinforced with grey Texturized nylon wear pads. The superior versatility and extra safety of this design are exclusive with Wear-Flex (U.S. Patent #3368837).

REVERSE EYE (RE)



TYPE VI

Red-Core Reverse Eye Slings have a reverse eye both ends with eye widths equal to 1/2 the body width. These slings have both eyes standing open at 90° to the sling body, allowing perfect choker or basket hitching without any twisting of the eyes or sling body.


The Reverse Eye Sling is a tough, heavy-duty sling with a double service life. Reversing the eyes allows the other side of the eyes and sling body to be used as a second wearing surface.

The superior flexibility and extra safety of these slings are design advantages possible only with the Reverse Eye Sling.

Both sides of the sling body and the sling eyes are reinforced with grey texturized nylon wear pads.

Order by Stock No. and Length	Sling Width Inches	Eye Length Inches	Eye Width Inches	Rated Capacity – Lbs			User List Price	
				Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
DE1-0602	2"	10"	1"	2960	3700	7400	\$34.40	\$5.45
DE1-0902	2"	10"	1"	3680	4600	9200	36.80	5.60
DE2-0602	2"	10"	1"	4720	5900	11800	42.10	7.35
DE2-0902	2"	10"	1"	6160	7700	15400	49.00	8.30
DE1-0603	3"	12"	1½"	4480	5600	11200	46.20	7.30
DE1-0903	3"	12"	1½"	5600	7000	14000	48.90	7.70
DE2-0603	3"	12"	1½"	7200	9000	18000	55.50	9.20
DE2-0903	3"	12"	1½"	9360	11700	23400	62.15	10.15
DE1-0604	4"	12"	2"	5920	7400	14800	51.65	8.30
DE1-0904	4"	12"	2"	7360	9200	18400	56.80	9.45
DE2-0604	4"	12"	2"	9520	11900	23800	61.70	11.70
DE2-0904	4"	12"	2"	12400	15500	31000	73.75	13.30
DE1-0606	6"	14"	3"	9040	11300	22600	74.65	12.00
DE1-0906	6"	14"	3"	11200	14000	28000	82.15	14.00
DE2-0606	6"	14"	3"	14400	18000	36000	83.10	17.90
DE2-0906	6"	14"	3"	18720	23400	46800	102.75	20.95

Order by Stock No. and Length	Sling Width Inches	Eye Length Inches	Eye Width Inches	Rated Capacity – Lbs			User List Price	
				Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
RE1-0602	2"	10"	1"	2960	3700	7400	\$34.40	\$5.45
RE1-0902	2"	10"	1"	3680	4600	9200	36.80	5.60
RE2-0602	2"	10"	1"	4720	5900	11800	42.10	7.35
RE2-0902	2"	10"	1"	6160	7700	15400	49.00	8.30
RE1-0603	3"	12"	1½"	4480	5600	11200	46.20	7.30
RE1-0903	3"	12"	1½"	5600	7000	14000	48.90	7.70
RE2-0603	3"	12"	1½"	7200	9000	18000	55.50	9.20
RE2-0903	3"	12"	1½"	9360	11700	23400	62.15	10.15
RE1-0604	4"	12"	2"	5920	7400	14800	51.65	8.30
RE1-0904	4"	12"	2"	7360	9200	18400	56.80	9.45
RE2-0604	4"	12"	2"	9520	11900	23800	61.70	11.70
RE2-0904	4"	12"	2"	12400	15500	31000	73.75	13.30
RE1-0606	6"	14"	3"	9040	11300	22600	74.65	12.00
RE1-0906	6"	14"	3"	11200	14000	28000	82.15	14.00
RE2-0606	6"	14"	3"	14400	18000	36000	83.10	17.90
RE2-0906	6"	14"	3"	18720	23400	46800	102.75	20.95



RED-CORE ECONOMY NYLON SLINGS – THE GOOD CHOICE

STANDARD IMPREGNATED NYLON WEBBING FOR ABRASION RESISTANCE

RED "SAFETY ALERT" YARNS

Red-Core Slings have red inner warning yarns that show when the outer jacket is cut or damaged exposing the inner load carrying yarns.

RED-CORE ECONOMY NYLON SLINGS

TRIANGLE-TRIANGLE (TT)



TYPE II

Red-Core Triangle-Triangle Slings are used for vertical and basket lifting. End fittings are alloy steel.

Order by Stock No. and Length	Body Width Inches	Rated Capacity – Lbs			User List Price	
		Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
TT1-0602	2"	–	2200	4400	\$45.90	\$1.25
TT1-0902	2"	–	3100	6200	46.45	1.75
TT2-0602	2"	–	4400	8800	47.30	2.80
†TT2-0902	2"	–	6200	12400	48.95	3.60
TT1-0603	3"	–	3300	6600	66.55	1.95
TT1-0903	3"	–	4700	9400	72.00	2.50
TT2-0603	3"	–	6700	13400	67.65	4.15
†TT2-0903	3"	–	9400	18800	74.35	5.35
TT1-0604	4"	–	4400	8800	86.25	2.45
TT1-0904	4"	–	6200	12400	89.40	3.05
TT2-0604	4"	–	8900	17800	87.40	5.80
†TT2-0904	4"	–	12500	25000	95.90	7.25
TT1-0606	6"	–	6700	13400	131.35	4.35
TT1-0906	6"	–	9400	18800	154.35	5.80
TT2-0606	6"	–	13400	26800	141.30	9.80
†TT2-0906	6"	–	18800	37600	168.05	12.10

TRIANGLE-CHOKER (TC)



TYPE I

Red-Core Triangle-Choker Slings are used for choker and basket lifting. End fittings are alloy steel.

Order by Stock No. and Length	Body Width Inches	Rated Capacity–Lbs			User List Price	
		Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Foot Base Price	Adder Per Foot
TC1-0602	2"	1760	2200	4400	\$53.75	\$1.25
TC1-0902	2"	2480	3100	6200	55.50	1.75
TC2-0602	2"	3520	4400	8800	54.00	2.80
†TC2-0902	2"	4960	6200	12400	57.80	3.60
TC1-0603	3"	2640	3300	6600	74.70	1.95
TC1-0903	3"	3760	4700	9400	79.35	2.50
TC2-0603	3"	5360	6700	13400	75.55	4.15
†TC2-0903	3"	7520	9400	18800	85.35	5.35
TC1-0604	4"	3520	4400	8800	98.30	2.45
TC1-0904	4"	4960	6200	12400	106.15	3.05
TC2-0604	4"	7120	8900	17800	103.50	5.80
†TC2-0904	4"	10000	12500	25000	110.45	7.25
TC1-0606	6"	5360	6700	13400	168.45	4.35
TC1-0906	6"	7520	9400	18800	185.15	5.80
TC2-0606	6"	10720	13400	26800	177.10	9.80
†TC2-0906	6"	15040	18800	37600	191.20	12.10

Note: Aluminum fittings are available upon request except for those marked with a †. Do not use in applications involving alkalis, acids or caustics. Polyester slings are available upon request. Three and four ply slings are also available upon request. Contact factory for pricing.

WEAR-FLEX ENDLESS ROUND SLINGS (RS-EN)



Wear-Flex Round Slings are constructed from multiple fiber polyester yarns. The amount of polyester yarns determine the capacity of the slings. The individual fibers are enclosed in a two-ply woven polyester tubular jacket. The inner load lifting fibers are therefore protected from wear, cutting and the environment as long as the jacket remains intact and not cut. All Round Slings

have a durable tag indicating the manufacturer, type material, rated capacity in choker, vertical and basket hitches, as well as stock number and length. These slings meet or exceed all current OSHA and ASME B30.9 Standards.

ROUND SLING FEATURES:

- Excellent resistance to ultraviolet rays, mildew and rot
- Manufactured from 100% polyester
- Maximum working temperature 194°F (90°C)
- 3% elongation at rated capacity
- Color coded for capacity
- Resistant to acids but not alkalis
- Lightweight, soft and easy to handle

Order by Stock No. and Length	Sling Color	Weight Lbs/Ft	Min. Lgth Ft	Rated Capacity – Lbs			User List Price	
				Choker @ 30°	Vertical @ 90°	Basket @ 90°	3 Ft Base Price	Adder Per Foot
RS-EN-1	Purple	.30	3 Ft.	2120	2650	5300	\$10.50	\$2.50
RS-EN-2	Lt Grn	.40	3 Ft.	4240	5300	10600	12.95	3.45
RS-EN-3	Yellow	.50	3 Ft.	6720	8400	16800	17.25	4.85
RS-EN-4	Tan	.60	3 Ft.	8500	10600	21200	19.15	5.80
RS-EN-5	Red	.80	3 Ft.	10560	13200	26400	22.95	6.30
RS-EN-6	Pink	1.00	3 Ft.	13440	16800	33600	25.90	7.40
							6 Ft Base Price	Adder Per Foot
RS-EN-7	Lt Blue	1.20	6 Ft.	17000	21200	42400	62.40	9.55
RS-EN-8	Orange	1.50	6 Ft.	20000	25000	50000	79.00	12.35
RS-EN-9	Orange	2.00	6 Ft.	25300	31700	63400	90.65	13.25
RS-EN-10	Orange	2.80	6 Ft.	32000	40000	80000	123.90	19.85
RS-EN-11	Orange	3.60	6 Ft.	42300	52900	105800	162.75	22.90
RS-EN-12	Orange	4.60	6 Ft.	52880	66100	132200	215.85	30.20
RS-EN-13	Orange	5.80	6 Ft.	72000	90000	180000	336.70	38.00

RED-CORE ECONOMY NYLON SLINGS

CARGO SLINGS (CA)

Red-Core Cargo Slings are designed for HEAVY load applications where an extra wide bodied sling is required for load stability. They are to be used in basket hitch lifting only.



Order by Stock No. and Length	Body Width Inches	Eye Length Inches	Eye Width Inches	Min. Sling Length	Rated Capacity -Lbs	User List Price		
						Basket @ 90°	3 Foot Base Price	Adder Per Foot
CA1-0608	8"	12"	2"	3 Ft.	17900	\$50.70	\$8.70	
CA1-0908	8"	12"	2"	3 Ft.	25000	61.70	9.40	
CA2-0608	8"	12"	2"	3 Ft.	31300	80.05	13.60	
CA2-0908	8"	12"	2"	3 Ft.	43900	96.80	16.60	
CA1-0610	10"	15"	2½"	4 Ft.	22400	66.10	12.10	
CA1-0910	10"	15"	2½"	4 Ft.	31300	73.75	12.80	
CA2-0610	10"	15"	2½"	4 Ft.	39200	102.65	18.10	
CA2-0910	10"	15"	2½"	4 Ft.	54800	116.20	21.65	
CA1-0612	12"	18"	3"	4 Ft.	26800	77.05	12.55	
CA1-0912	12"	18"	3"	4 Ft.	37600	89.05	14.30	
CA2-0612	12"	18"	3"	4 Ft.	47000	121.40	20.10	
CA2-0912	12"	18"	3"	4 Ft.	65800	143.20	25.60	
CA1-0616	16"	18"	2¾"	6 Ft.	31300	117.10	19.95	
CA1-0916	16"	18"	2¾"	6 Ft.	43900	125.40	20.90	
CA2-0616	16"	18"	4"	6 Ft.	62700	205.15	37.50	
CA2-0916	16"	18"	4"	6 Ft.	87800	219.85	40.15	
CA1-0620	20"	24"	3½"	8 Ft.	39200	163.30	27.15	
CA1-0920	20"	24"	3½"	8 Ft.	54800	169.30	28.40	
CA2-0620	20"	24"	5"	8 Ft.	78400	260.40	46.05	
CA2-0920	20"	24"	5"	8 Ft.	109700	275.50	47.65	
CA1-0624	24"	24"	4"	8 Ft.	47000	203.10	33.00	
CA1-0924	24"	24"	4"	8 Ft.	65800	211.80	34.00	
CA2-0624	24"	24"	6"	8 Ft.	94000	292.15	55.00	
CA2-0924	24"	24"	6"	8 Ft.	131700	324.60	58.60	

CARGO-PATCH EYE SLINGS (PE)

Red-Core Patch Eye Slings are designed for LIGHTER load applications where additional width is required for load support and stability. The attached eyes are constructed of 1" and 2" webbing to easily accommodate small hooks. They are to be used in basket hitch lifting only.

Order by Stock No. and Length	Body Width Inches	Eye Length Inches	Eye Width Inches	Min. Sling Width	Rated Capacity -Lbs	User List Price		
						Basket @ 90°	3 Foot Base Price	Adder Per Foot
PE1-0606	6"	8"	1"	3 Ft.	4000	\$40.15	\$6.35	
PE1-0906	6"	8"	1"	3 Ft.	6000	41.70	6.70	
PE1-0608	8"	10"	2"	3 Ft.	8000	52.60	8.30	
PE1-0908	8"	10"	2"	3 Ft.	10000	55.00	8.60	
PE1-0610	10"	12"	2"	4 Ft.	8000	54.60	9.50	
PE1-0910	10"	12"	2"	4 Ft.	10000	60.60	10.20	
PE1-0612	12"	12"	2"	4 Ft.	8000	61.05	10.75	
PE1-0912	12"	12"	2"	4 Ft.	10000	65.75	12.55	
PE1-0616	16"	12"	2"	4 Ft.	8000	83.60	16.35	
PE1-0916	16"	12"	2"	4 Ft.	10000	92.40	18.20	
PE1-0620	20"	16"	2"	5 Ft.	8000	104.20	22.15	
PE1-0920	20"	16"	2"	5 Ft.	10000	111.60	23.80	
PE1-0624	24"	18"	2"	6 Ft.	8000	130.55	24.85	
PE1-0924	24"	18"	2"	6 Ft.	10000	134.75	27.70	

DRUM SLING (DR)



The Wear-Flex Drum Sling is designed as an efficient and effortless way to handle 55 gallon ribbed metal drums. The sling is available in 1" and 2" web widths depending on capacity required. The upper lifting leg is texturized nylon buffered on both sides for greater abrasion resistance. The circumference strap has a ratchet binder which is used for tightening below the first rib of the drum.

Order by Stock No.	Sling Web Width Inches	Assembly Capacity -Lbs	User List Price
DR1-0601	1"	550	\$76.65
DR1-0602	2"	850	100.80

Note: The Drum Slings have two vertical legs permanently sewn to the circumference strap which eliminates the necessity of positioning the lifting legs. If lifting a different size drum, specify "adjustable" when ordering. The sling will be supplied with only one of the vertical legs permanently sewn to the circumference strap, leaving the other to be infinitely adjustable to accommodate any drum diameter.

! WARNING!

DO NOT EXCEED RATED CAPACITIES. REFER TO SLING LOAD CHART ON PAGE 5 FOR RATED CAPACITIES AT OTHER SLING-TO-LOAD ANGLES.